



Titre: Oral and inhalation bioaccessibility of metal(loid)s in chromated copper arsenate (CCA)-contaminated soils: Assessment of particle size influence
Title:

Auteurs: Cécile Christine Van Der Kallen, Mathieu Gosselin, & Gérald J. Zagury
Authors:

Date: 2020

Type: Article de revue / Article

Référence: Van Der Kallen, C. C., Gosselin, M., & Zagury, G. J. (2020). Oral and inhalation bioaccessibility of metal(loid)s in chromated copper arsenate (CCA)-contaminated soils: Assessment of particle size influence. *Science of The Total Environment*, 734, 139412 (10 pages). <https://doi.org/10.1016/j.scitotenv.2020.139412>
Citation:

 **Document en libre accès dans PolyPublie**
Open Access document in PolyPublie

URL de PolyPublie: <https://publications.polymtl.ca/45230/>
PolyPublie URL:

Version: Matériel supplémentaire / Supplementary material
Révisé par les pairs / Refereed

Conditions d'utilisation: CC BY-NC-ND
Terms of Use:

 **Document publié chez l'éditeur officiel**
Document issued by the official publisher

Titre de la revue: Science of The Total Environment (vol. 734)
Journal Title:

Maison d'édition: Elsevier B.V.
Publisher:

URL officiel: <https://doi.org/10.1016/j.scitotenv.2020.139412>
Official URL:

Mention légale:
Legal notice:

Figures

Oral and inhalation bioaccessibility of metal(loid)s in chromated copper arsenate (CCA)-contaminated soils: Assessment of particle size influence

Cecile C. van der Kallen¹, Mathieu Gosselin¹, Gérald J. Zagury^{1}*

¹ Department of Civil, Geological and Mining Engineering, Polytechnique Montréal (QC), Canada, H3C 3A7

**Corresponding author (gerald.zagury@polymtl.ca)*

Number of pages: 3

Number of figures: 2




Figure 1: Boxplot of total metal(loid)s concentrations in different particle sizes of soil samples (n=10). A : < 2 mm, B : 250-90 μ m, C : 90-20 μ m, D : < 20 μ m. The outliers are not shown.




Figure 2: Boxplot of bioaccessibility (mg/kg and %) of metal(loid)s in different particle size of soil samples (n=10) using different methods. A = IVG-GI (250-90 μm), B = IVG-GI (90-20 μm), C = GS (< 20 μm), D = ALF (< 20 μm). The outliers are not shown in the boxplot of bioaccessibility (mg/kg).