

Titre: A scalable post-treatment method for modifying polylactic acid to create nanoporous polymers. Supplément
Title:

Auteurs: Darius Klassen, Adya Karthikeyan, William Simon, Clémence Mimoso, Thomas Badiali, Gérald Chouinard, Marie-Josée Dumont, & Jason Robert Tavares
Authors:

Date: 2025

Type: Article de revue / Article

Référence: Klassen, D., Karthikeyan, A., Simon, W., Mimoso, C., Badiali, T., Chouinard, G., Dumont, M.-J., & Tavares, J. R. (2025). A scalable post-treatment method for modifying polylactic acid to create nanoporous polymers. Polymer, 330, 128495 (18 pages). <https://doi.org/10.1016/j.polymer.2025.128495>
Citation:

 Document en libre accès dans PolyPublie
Open Access document in PolyPublie

URL de PolyPublie: <https://publications.polymtl.ca/65731/>
PolyPublie URL:

Version: Matériel supplémentaire / Supplementary material
Révisé par les pairs / Refereed

Conditions d'utilisation: Creative Commons Attribution-Utilisation non commerciale-Pas d'oeuvre dérivée 4.0 International / Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND)
Terms of Use:

 Document publié chez l'éditeur officiel
Document issued by the official publisher

Titre de la revue: Polymer (vol. 330)
Journal Title:


Maison d'édition: Elsevier Ltd
Publisher:

URL officiel: <https://doi.org/10.1016/j.polymer.2025.128495>
Official URL:

Mention légale: © 2025 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).
Legal notice:

1 Supplementary Information

2 S.1. Supporting information for methodology



- 3
- 4 *Figure S1: U-bar used for DDD treatment of MONF and MULF fibers*
- 5 *Table S1: DDD treatment of LDPE*


Procedure name	Time in solvent (s)	Time in coagulant (s)	Solvent temperature (°C)
LDPE30-1	30	300	45
LDPE30-2	30	300	55
LDPE30-3	30	300	65
LDPE30-4	30	300	75
LDPE60-1	60	300	45
LDPE60-2	60	300	55
LDPE60-3	60	300	65
LDPE60-4	60	300	75

LDPE120-1	120	300	45
LDPE120-2	120	300	55
LDPE120-3	120	300	65
LDPE120-4	120	300	75
LDPE300-1	300	300	45
LDPE300-2	300	300	55
LDPE300-3	300	300	65
LDPE300-4	300	300	75

6

7


8 S.2. DSC curves



9


10 *Figure 19: DSC curves for LC PLA DDD treated using different solvents*

11



12

13 *Figure S3: DSC curve for treated and untreated MC PLA*



14

15 *Figure S4: DSC curves for treated and untreated MONF PLA*




Figure S5: DSC curves for treated and untreated MULF PLA

S.3. Additional Mercury intrusion porosimeter results




Figure S6: Surface area of porous layers created using DDD with different solvents




Figure S7: Total intrusion volume of porous layers created using DDD with different solvents

S.4. Additional SEM images




Figure 20: SEM images of DDDEA treated disk surface (A) and cross section (B)




Figure S9: SEM images of DDDTHF treated disk surface (A) and cross section (B)





Figure S10: SEM images of DDDAC treated disk surface (A) and cross section (B)



35

36 *Figure S11: SEM image of LDPE disk cross section after DDD treatment with heated xylene*

37

38

39