POLYPUBLIE

A scalable post-treatment method for modifying polylactic acid to create nanoporous polymers. Supplément

Darius Klassen, Adya Karthikeyan, William Simon, Clémence Mimoso, Thomas Badiali, Gérald Chouinard, Marie-Josée Dumont, Jason Robert Tavares

Document en libre accès dans PolyPublie
Open Access document in PolyPublie

Date	2025
Type	Article de revue/Article
Version	Matériel supplémentaire / Supplementary material
URL de PolyPublie **PolyPublie URL**	https://publications.polymtl.ca/65731/
Évaluation par les pairs **Peer reviewed**	Révisé par les pairs / Refereed
Conditions d'utilisation **Terms of use**	Creative Commons Attribution-Utilisation non commerciale-Pas d'oeuvre dérivée 4.0 International / Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND)
Référence **Citation**	Klassen, D., Karthikeyan, A., Simon, W., Mimoso, C., Badiali, T., Chouinard, G., Dumont, M.-J., & Tavares, J. R. (2025). A scalable post-treatment method for modifying polylactic acid to create nanoporous polymers. Polymer, 330, 128495 (18 pages). https://doi.org/10.1016/j.polymer.2025.128495

Publication officielle
Official publication

Titre de la revue **Journal title**	Polymer (vol. 330)
Maison d'édition **Publisher**	Elsevier Ltd
URL officielle **Official URL**	https://doi.org/10.1016/j.polymer.2025.128495
Mention légale **Legal notice**	©2025 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by- nc-nd/4.0/).

Ce fichier a été téléchargé à partir de PolyPublie, le dépôt institutionnel de Polytechnique Montréal
This file has been downloaded from PolyPublie, the institutional repository of Polytechnique Montréal
https://publications.polymtl.ca

Supplementary Information

S.1. Supporting information for methodology




Figure S1: U-bar used for DDD treatment of MONF and MULF fibers

Table S1: DDD treatment of LDPE

Procedure name	Time in solvent (s)	Time in coagulant (s)	Solvent temperature (°C)
LDPE30-1	30	300	45
LDPE30-2	30	300	55
LDPE30-3	30	300	65
LDPE30-4	30	300	75
LDPE60-1	60	300	45
LDPE60-2	60	300	55
LDPE60-3	60	300	65
LDPE60-4	60	300	75

LDPE120-1	120	300	45
LDPE120-2	120	300	55
LDPE120-3	120	300	65
LDPE120-4	120	300	75
LDPE300-1	300	300	45
LDPE300-2	300	300	55
LDPE300-3	300	300	65
LDPE300-4	300	300	75

S.2. DSC curves




Figure 19: DSC curves for LC PLA DDD treated using different solvents




Figure S3: DSC curve for treated and untreated MC PLA




Figure S4: DSC curves for treated and untreated MONF PLA




Figure S5: DSC curves for treated and untreated MULF PLA

S.3. Additional Mercury intrusion porosimeter results




Figure S6: Surface area of porous layers created using DDD with different solvents




Figure S7: Total intrusion volume of porous layers created using DDD with different solvents

S.4. Additional SEM images




Figure 20: SEM images of DDDEA treated disk surface (A) and cross section (B)




Figure S9: SEM images of DDDTHF treated disk surface (A) and cross section (B)




Figure S10: SEM images of DDDAC treated disk surface (A) and cross section (B)




Figure S11: SEM image of LDPE disk cross section after DDD treatment with heated xylene